

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>					
1. REPORT DATE (DD-MM-YYYY) 02 October 2015		2. REPORT TYPE Briefing Charts		3. DATES COVERED (From - To) 14 September 2015 - 02 October 2015	
4. TITLE AND SUBTITLE Overview of current activities in combustion instability				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Doug Talley				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER Q0YA	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/RQRC 10 E. Saturn Blvd Edwards AFB, CA 93524-7680				8. PERFORMING ORGANIZATION REPORT NO.	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/RQR 5 Pollux Drive Edwards AFB, CA 93524-7048				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-RQ-ED-VG-2015-362	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES For presentation at AFOSR Space Power and Propulsion Contractor's meeting; Arlington, VA; 02 Oct 2015 PA Case Number: #15577; Clearance Date: 9/23/2015					
14. ABSTRACT Briefing Charts/Viewgraph					
15. SUBJECT TERMS N/A					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			D. Talley
Unclassified	Unclassified	Unclassified	SAR	24	19b. TELEPHONE NO (include area code) N/A



Overview of current activities in combustion instability

Space Power and Propulsion Contractor's Meeting

2 October 2015



Doug Talley, Ph.D.
Combustion Devices Branch
Air Force Research Laboratory

Approved for public release; distribution unlimited



Objective



- **The congressional mandate to develop a new US-built booster engine has motivated a number of programs aimed at reducing the risk of that engine developing combustion instabilities:**
 - ALREST – Advanced Liquid Rocket Engine Stability Technology
 - VISP – Virtual Injector Screening Platform.
 - SPACE - Scalable Physics-based Advanced Computational Engineering Platform.
 - CaTS – Combustion and Thrust Scaling
 - CSTD – Combustion Stability Tools Development
- **The objective of this brief is to give a broad overview of what these programs are doing.**




ALREST



- **The Advanced Liquid Rocket Engine Stability Technology program is a three phase program to develop the next generation of combustion stability design tools.**
 - Phase 1: High fidelity model development
 - Phase 2: Multi-fidelity Tools and Methodologies
 - Phase 3: Integrated Tools Suite
- **OVERALL APPROACH: Multi-fidelity model development with progressive data validation.**




Multifidelity model development





Progressive data validation





Status



- **Phase I delivered two state-of-the-art, complementary high fidelity CFD codes**
 - ALREST High Fidelity Model (AHFM)
 - Explicit, multi-block structured (fast, but difficult to grid)
 - Generalized Equation and Mesh Solver (GEMS)
 - Implicit, unstructured (easy to grid, but slow)
- **Technical effort ended on 9/30/15.**



Virtual Injector Screening Platform (VISP)



- **VISP is a 2-year effort to accomplish:**
 - Mature the ALREST tools to a production level
 - Provide a wrapper for AHFM and GEMS
 - Add a GUI
 - Perform further validation experiments
 - Perform initial exploration of scaling methods
- **When complete, VISP will constitute a full production version of the ALREST phase I codes.**






Validation Status


- Validations nearly complete through case 3 and started on case 4.
 - Case 4 and beyond will be continued as a part of VISP and CSTD

Case 3 Longitudinal Experiment



Controllable amplitude

Case 4 Transverse Experiment



Contains 7 injectors from the longitudinal experiment



SPACE



- **Scalable Physics-based Advanced Computational Engineering platform**
- **SPACE is a software applications project funded by the High Performance Computing Modernization Office (HPCMO) to install new technology in a *next generation* high fidelity code**
 - Cartesian codes are 10x faster than unstructured
 - Fifth-order accuracy means 10x fewer grid points
 - Adaptive mesh puts grid refinement where needed
 - Adaptive physics can be tailored to combustion
- **If SPACE is successful, VISP will eventually migrate to SPACE**




CaTS – Combustion and Thrust Scaling




Objectives: Reduce risk of instability at full scale testing – Leverage existing tools to determine what judicious subscale testing and analysis should be done prior to full scale

Tasks (2 year effort, ended 9/30/15):

1. Develop injector selection criteria for ORSC engine
2. Critically evaluate existing stability scaling methods
3. Construct an initial scaling methodology based on evaluation & SOTA knowledge
4. Forced flame response experiment kerosene upgrade and demonstration




Approved for public release; distribution unlimited



Stability Lab Hot Fire Chamber


H₂/O₂ Reacting Coaxial Jet




Combustion Stability Tool Development (CSTD)

Goal: Vastly improve U.S. ability to predict and avoid liquid rocket engine combustion stability problems

Approach: 1) Develop a SOA combustion stability software package called Stable Combustion of Rocket engines (SCORE)
2) Leverage existing and new tools to determine what judicious subscale testing and analysis should be done prior to full scale testing to decrease the risk of combustion instability



AFRL Tasks: 1) Refine ORSC main chamber single element design methodology in support of CSTD tool development by using AFRL single element hot fire testing & MSFC simulation / analysis tools to answer fundamental questions on single element design features
2) Develop multi-element experiments (~ 10 and 40 KlbF Thrust) that tests and validates the positive stability attainment scaling process developed under the CaTS & early CSTD efforts.








High-Fidelity Modeling



- High-fidelity modeling is an important part of methodology
 - All CSTD tests will be accompanied by high-fidelity simulations
 - Helps to analyze the physics and explain the results
 - Guide development of design tools




TIC-1, ALREST-HFM



GCSC Injector, Vigor's Code





Experimental Datasets






ALREST phase II



ALREST phase II

Multifidelity Tools and Methodologies





Objective and General Approach



- **OBJECTIVE:** Develop next generation *engineering* tools and methodologies with an order of magnitude improvement in accuracy.
- **GENERAL APPROACH:**
 - Use validated high fidelity models and experiments to develop Reduced Models (RMs) of detailed behaviors.
 - *Embed* the RMs into coarser models of the entire engine




Example



- AFOSR research by Sirignano, Sideris, Popov, Munipalli, Menon, and Kassoy

Networks of fast but accurate simplified (reduced) injector models, trained off line, embedded as source terms in an overall “coarse” CFD




Low amplitude limit cycle 2T

Decaying 1T

Growing 1T

Stochastic triggering



Probability of triggering a 1T



Technical Challenge



- **TECHNICAL CHALLENGE:**
 - MANY variants of how to implement the details of the general approach are possible
 - It is unknown at this time which will be successful
- **APPROACH:**
 - Don't rely on any single implementation; invest in as many implementations as possible
 - Phase II will leverage relevant developments by CSTD and AFOSR, and be there to continue the work when those efforts end.



Purdue Approach




- Investigate fundamental properties of POD-based RBMs
 - Established reqd number of POD modes and training frequencies
- Extension of POD-based RBM method to LES with chemical kinetics





HyPerComp Approach

- Develop multi-parameter RBM models for injectors trained using a single injector chamber (DVRC)
- Demonstrate “reusable” RBM surrogate models in a multi-injector context
- Deploy the RBM model above in a simulation of the Purdue TIC chamber





AFOSR Programs



- **Stay tuned**



Summary - Modeling



- **ALREST/VISP/CSTD**

- ALREST has a suite of high-fidelity tools that are being validated by existing Purdue CVRC and TIC data (all methane).
- The tools are being transitioned to production status by VISP.
- VISP tools will support high-fidelity analysis of scaling methodology.
- ALREST phase II will invest in Multifidelity Tools and Methodologies
- CSTD will develop a SOA combustion stability software package called Stable Combustion of Rocket Engines (SCORE)
- All CSTD tests to be accompanied by high fidelity modeling to understand the results and guide development



Summary - Experiments



- **CaTS/CSTD/VISP**
 - CaTS formulated a scaling approach which informs the testing and the designs in CSTD.
 - CSTD and VISP expand the database initiated by previous AFRL and NASA efforts.
 - AFRL/TIC 1, NESC DVRC-1, *VISP/DVRC-2, VISP/TIC-2, CSTD/AFRL, CSTD/DVRC, CSTD/TIC, CSTD/10K, CSTD/40K, CSTD/GT Acoustics, CSTD/GT Methane, AFRL stability lab*

